

SAFETY DATA SHEET



TRIBUTE® TOTAL

Version 4.0 / USA
102000025052

1/13
Revision Date: 05/20/2020
Print Date: 06/17/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name	TRIBUTE® TOTAL
Product code (UVP)	80192401
SDS Number	102000025052
EPA Registration No.	101563-147

Relevant identified uses of the substance or mixture and uses advised against

Use	Herbicide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Environmental Science U.S. LLC. 5000 Centregreen Way, Suite 400 Cary, NC 27513 USA

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)	1-800-424-9300
Product Information Telephone Number	1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200
Reproductive toxicity: Category 1B

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Danger

Hazard statements

May damage fertility or the unborn child.

Precautionary statements

SAFETY DATA SHEET



TRIBUTE® TOTAL

Version 4.0 / USA
102000025052

2/13
Revision Date: 05/20/2020
Print Date: 06/17/2022

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
IF exposed or concerned: Get medical advice/ attention.
Store locked up.
Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.
No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Halosulfuron-Methyl	100784-20-1	30.8
Foramsulfuron	173159-57-4	19.8
Thiocarbazono-methyl	317815-83-1	9.9
Sulfonated aromatic polymer, sodium salt	68425-94-5	9.0
Aromatic hydrocarbons, C10-13, reaction products with branched nonene, sulfonated, sodium salts	1258274-08-6	3.6
Disodium maleate	371-47-1	0.18
Crystalline quartz (respirable)	14808-60-7	0.18

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

SAFETY DATA SHEET



TRIBUTE® TOTAL

Version 4.0 / USA
102000025052

3/13
Revision Date: 05/20/2020
Print Date: 06/17/2022

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

Special hazards arising from the substance or mixture In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NO_x), Sulphur oxides

Advice for firefighters

Special protective equipment for firefighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point Not applicable

Auto-ignition temperature 187 °C / 368.6 °F

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Explosivity No data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.

SAFETY DATA SHEET



TRIBUTE® TOTAL

Version 4.0 / USA
102000025052

4/13

Revision Date: 05/20/2020
Print Date: 06/17/2022

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Avoid dust formation.

Advice on protection against fire and explosion Dust may form explosive mixture in air. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from frost. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Thiocarbazon-methyl	317815-83-1	10 mg/m ³ (TWA)		OES BCS*
Foramsulfuron	173159-57-4	10 mg/m ³ (TWA)		OES BCS*
Crystalline quartz (respirable) (Respirable fraction.)	14808-60-7	0.025 mg/m ³ (TWA)	02 2012	ACGIH
Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.05 mg/m ³ (REL)	2016	NIOSH

SAFETY DATA SHEET



TRIBUTE® TOTAL

Version 4.0 / USA
102000025052

5/13

Revision Date: 05/20/2020
Print Date: 06/17/2022

Crystalline quartz (respirable)	14808-60-7	0.05 mg/m3 (TWA)	03 2016	OSHA
Crystalline quartz (respirable)	14808-60-7	0.025 mg/m3 (OSHA_ACT)	03 2016	OSHA
Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.05 mg/m3 (PEL)	03 2016	OSHA Z1
Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.050 mg/m3 (TWA)	01 2019	TN OEL
Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.05 mg/m3 (TWA PEL)	10 2016	US CA OEL
Crystalline quartz (respirable) (Respirable.)	14808-60-7	2.4millions of particles per cubic foot of air (TWA)	2000	Z3
Crystalline quartz (respirable) (Respirable.)	14808-60-7	0.1 mg/m3 (TWA)	2000	Z3

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Tightly fitting safety goggles

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SAFETY DATA SHEET



TRIBUTE® TOTAL

Version 4.0 / USA
102000025052

6/13
Revision Date: 05/20/2020
Print Date: 06/17/2022

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	beige
Physical State	water-dispersible granules
Odor	characteristic
Odour Threshold	No data available
pH	4.5 - 5.5 (10 %) (23 °C) (deionized water)
Viscosity, kinematic	No data available
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Density	No data available
Bulk density	0.559 - 0.656 g/ml (loose)
Evaporation rate	Not applicable
Boiling Point	Not applicable
Melting / Freezing Point	Not applicable
Water solubility	dispersible
Minimum Ignition Energy	No data available
Decomposition temperature	150 °C , Heating rate: 3 K/min , Decomposition energy: 320 kJ/kg 105 °C , Heating rate: 0.05 K/min
Self-accelarating decomposition temperature (SADT)	No data available
Partition coefficient: n-octanol/water	No data available
Flammability	No data available
Flash point	Not applicable
Auto-ignition temperature	187 °C / 368.6 °F
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Explosivity	No data available
Particle size	No data available
Other information	The product is capable of dust explosions.

SAFETY DATA SHEET



TRIBUTE® TOTAL

Version 4.0 / USA
102000025052

7/13

Revision Date: 05/20/2020
Print Date: 06/17/2022

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	150 °C, Heating rate: 3 K/min, Decomposition energy: 320 kJ/kg 105 °C, Heating rate: 0.05 K/min
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No incompatible materials known.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Eye contact, Skin contact

Immediate Effects

Eye May cause eye irritation.

Skin May cause skin irritation.

Ingestion Harmful if swallowed.

Information on toxicological effects

Acute oral toxicity LD50 (Rat) 3,129 mg/kg

Acute inhalation toxicity LC50 (Rat) > 2.02 mg/l
Exposure time: 4 h
Determined in the form of a respirable aerosol.

LC50 (Rat) > 8.08 mg/l
Exposure time: 1 h
Determined in the form of a respirable aerosol.
Extrapolated from the 4 hr LC50.

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Serious eye damage/eye irritation Slight irritant effect - does not require labelling. (Rabbit)

Respiratory or skin sensitisation Skin: Non-sensitizing. (Guinea pig)

Assessment STOT Specific target organ toxicity – single exposure

Thiocarbazono-methyl: Based on available data, the classification criteria are not met.

SAFETY DATA SHEET



TRIBUTE® TOTAL

Version 4.0 / USA
102000025052

8/13
Revision Date: 05/20/2020
Print Date: 06/17/2022

Foramsulfuron: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Halosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies.
Thiencarbazone-methyl did not cause specific target organ toxicity in experimental animal studies.
Foramsulfuron did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Halosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Thiencarbazone-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Foramsulfuron was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Halosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice.
Thiencarbazone-methyl was not carcinogenic in a lifetime feeding study in rats. Thiencarbazone-methyl caused at high dose levels an increased incidence of tumours in mice in the following organ(s): urinary bladder. The tumours seen with Thiencarbazone-methyl were caused through the chronic irritation due to the presence of bladder stones.
Foramsulfuron was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Crystalline quartz (respirable)	14808-60-7	Group A2
---------------------------------	------------	----------

NTP

Crystalline quartz (respirable)	14808-60-7
---------------------------------	------------

IARC

Crystalline quartz (respirable)	14808-60-7	Overall evaluation: 1
---------------------------------	------------	-----------------------

OSHA

None.

Assessment toxicity to reproduction

Halosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats.
Thiencarbazone-methyl did not cause reproductive toxicity in a two-generation study in rats.
Foramsulfuron did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Halosulfuron-methyl caused developmental toxicity only at dose levels toxic to the dams. Halosulfuron-methyl caused an increased incidence of non-specific malformations.
Thiencarbazone-methyl did not cause developmental toxicity in rats and rabbits.
Foramsulfuron did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

TRIBUTE® TOTAL

Version 4.0 / USA
102000025052

9/13

Revision Date: 05/20/2020
Print Date: 06/17/2022

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) > 100 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient foramsulfuron.
	LC50 (Oncorhynchus mykiss (rainbow trout)) > 104 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient thien carbazone-methyl.
	LC50 (Oncorhynchus mykiss (rainbow trout)) > 131 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient halosulfuron-methyl.
Toxicity to aquatic invertebrates	LC50 (Daphnia (water flea)) > 100 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient foramsulfuron.
	EC50 (Daphnia magna (Water flea)) > 98.6 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient thien carbazone-methyl.
	EC50 (Daphnia magna (Water flea)) > 107 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient halosulfuron-methyl.
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 75 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient foramsulfuron.
	IC50 (Raphidocelis subcapitata (freshwater green alga)) 1.017 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient thien carbazone-methyl.
	IC50 (Lemna gibba (gibbous duckweed)) 0.00131 mg/l Growth rate; Exposure time: 7 d The value mentioned relates to the active ingredient thien carbazone-methyl.
	EC50 (Lemna gibba (gibbous duckweed)) 0.000217 mg/l Growth rate; Exposure time: 7 d The value mentioned relates to the active ingredient halosulfuron-methyl.
Biodegradability	Halosulfuron-methyl: Not rapidly biodegradable Thien carbazone-methyl: Not rapidly biodegradable Foramsulfuron:

SAFETY DATA SHEET



TRIBUTE® TOTAL

Version 4.0 / USA
102000025052

10/13

Revision Date: 05/20/2020
Print Date: 06/17/2022

	Not rapidly biodegradable
Koc	Halosulfuron-methyl: Koc: 113 Thiencarbazone-methyl: Koc: 100 Foramsulfuron: Koc: 38 - 151
Bioaccumulation	Halosulfuron-methyl: Does not bioaccumulate. Thiencarbazone-methyl: Does not bioaccumulate. Foramsulfuron: Does not bioaccumulate.
Mobility in soil	Halosulfuron-methyl: Moderately mobile in soils Thiencarbazone-methyl: Moderately mobile in soils Foramsulfuron: Mobile in soils
Additional ecological information	No other effects to be mentioned.
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Drift or runoff from treated areas may adversely affect non-target plants. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Dispose in accordance with all local, state/provincial and federal regulations. Never place unused product down any indoor or outdoor drain.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material
--------------	--

SAFETY DATA SHEET



TRIBUTE® TOTAL

Version 4.0 / USA
102000025052

11/13
Revision Date: 05/20/2020
Print Date: 06/17/2022

IMDG

UN number	3077
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (THIENCARBAZONE-METHYL, HALOSULFURON-METHYL MIXTURE)

IATA

UN number	3077
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (THIENCARBAZONE-METHYL, HALOSULFURON-METHYL MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: COMPOUNDS, TREE OR WEEDKILLING, N.O.I., other than poison; HAVING A DENSITY OF GREATER THAN 20 LBS. PER CUBIC FOOT

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1519

US Federal Regulations

TSCA list

Kaolin	1332-58-7
Sulfonated aromatic polymer, sodium salt	68425-94-5
Polyvinylpyrrolidone	9003-39-8

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SAFETY DATA SHEET



TRIBUTE® TOTAL

Version 4.0 / USA
102000025052

12/13
Revision Date: 05/20/2020
Print Date: 06/17/2022

Crystalline quartz (respirable) 14808-60-7

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Kaolin	1332-58-7	MN, RI
Polyvinylpyrrolidone	9003-39-8	CA

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed.
Causes moderate eye irritation.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

SAFETY DATA SHEET



TRIBUTE® TOTAL

Version 4.0 / USA
102000025052

13/13

Revision Date: 05/20/2020
Print Date: 06/17/2022

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 11: Toxicological Information. Reviewed and updated for general editorial purposes.

Revision Date: 05/20/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.